


OILTEC

***"A FUTURE  
FROM HERITAGE"***

## **ABOUT OILTEC**

Founded in 1999 with industry roots back to 1940, Oil Tec is a fully integrated Egyptian manufacturer of edible oils, ghee, shortening, cocoa butter substitutes, and oleochemicals. With in-house plastic bottle production, it controls its full supply chain for better quality, efficiency, and scalability. Oil Tec serves government entities, multinationals, food factories, horeca operators, retailers, and global distributors.



### ***OUR VISION***

Leadership in the development of sustainable edible oils, derivatives, and detergents locally and internationally.

### ***OUR MISSION***

To be the preferred provider of sustainable value-added products and services for everyone, everywhere, every day.

**OILTEC**



**REFINING:**

We use advanced machinery and modern refining technologies across all processes (neutralization, bleaching, deodorizing, and winterizing) with a monthly capacity of 10,000 MT.



**PLASTIC BOTTLE MANUFACTURING:**

Production of plastic bottles in the same place of packing to ensure best hygiene products to meet international food safety standards.



**OILS PROCESSING:**

Edible oil processing involves extracting oil from raw materials (seeds, fruits) via mechanical pressing or solvent extraction, followed by refining to make it palatable and stable for consumption



**PERSONAL & HOME CARE MANUFACTURING:**

Saponification process are made from the finest edible oils with the capability to produce soaps different ranges, colors and perfumes with finishing in different sizes and packages.



**FATS PROCESSING:**

Fat processing involves extracting fats from sources like seeds, followed by refining (degumming, bleaching, deodorizing) to remove impurities



## SUNFLOWER OIL

### FULLY REFINED SUNFLOWER OIL SPECIFICATIONS

**TECHNICAL SPECIFICATION:** Comply with NFSA: 6 / 2022

**CAS No. 8001-21-6**

**Specification No E.S No. 7985/2024**

**Codex 210-1999 Rev. 2024**

**Description** Clear Liquid & Brilliant at Room Temperature, have normal and characteristics taste and odor- non-GMO

Item	Min.	Max.
Appearance (Liquid)	Yellow Liquid	
Odor & taste (Rancid)	Bland, deodorized	
Color (5¼ Inch Lovibond Color Cell). R / Y max .		0.8 / 8.0
Free fatty acids as oleic acid %	-	0.08
Peroxide value (mg eq. wt./Kg oil)	-	1.0
Iodine value gm. I <sub>2</sub> /100 gm. oil	118	141
Moisture and volatile matter %	-	0.02
Relative Density at 20 °C	0.918	0.923
Refractive Index at 40 °C	1.461	1.468
Antioxidant (TBHQ/ppm)	-	100
Heavy Metals / ppm	Conform	
Aflatoxins (ppb)	Conform	
Pesticide residue (ppm)	Conform	
Microbiological Tests	Conform	
Fatty Acids Composition %		
C 16:0	5.0	7.6
C 18:0	2.7	6.5
C 18:1	14	39.4
C 18:2	48.3	74
C 18:3	-	0.3
C 22:0	0.3	1.5

#### • Validity

- Jerrycan / Pouches / Tin cans / Bulk (12 Months).
- PET Bottles Under Nitrogen (24 Months).





## CORN OIL

### FULLY REFINED CORN OIL SPECIFICATIONS

**TECHNICAL SPECIFICATION:** Comply with NFSA: 6 / 2022

**CAS No.** 8001-30-7

**Specification No** E.S No. 7985/2024

**Codex** 210-1999 Rev. 2024

**Description** Clear Liquid & Brilliant at Room Temperature, have normal and characteristics taste and odor- non-GMO

**ALLEGEN CORN OIL HAS No AN ALLERGEN**

Item	Min.	Max.
Appearance (Liquid)	Yellow Liquid	
Odor & taste (Rancid Free)	Bland, deodorized	
Color (5¼ Inch Lovibond Color Cell), R / Y max .		2.0/20
Free fatty acids as oleic acid %	-	0.12
Peroxide value (mg eq. wt./Kg oil)	-	1.0
Iodine value gm. I <sub>2</sub> /100 gm. oil	103	135
Moisture and volatile matter %	-	0.02
Relative Density at 20 °C	0.917	0.925
Refractive Index at 40 °C	1.465	1.468
Antioxidant (TBHQ/ppm)	-	100
Heavy Metals / ppm	Conform	
Aflatoxins (ppb)	Conform	
Pesticide residue (ppm)	Conform	
Microbiological Tests	Conform	
Fatty Acids Composition %		
C 16:0	8.6	16.5
C 18:0	-	3.3
C 18:1	20	42
C 18:2	34	65
C 18:3	-	2.0

#### • Validity

- Jerrycan / Pouches / Tin cans / Bulk (12 Months).
- PET Bottles Under Nitrogen (24 Months).





## SOYA BEAN OIL



### FULLY REFINED SOYA BEANS OIL SPECIFICATIONS

**TECHNICAL SPECIFICATION:** Comply with NFSA: 6 / 2022

**CAS No. 8001-22-7**

**Specification No E.S No. 7985/2024**

**Codex 210-1999 Rev. 2024**

**Description** Clear Liquid & Brilliant at Room Temperature, have normal and characteristics taste and odor- non-GMO

Item	Min.	Max.
Appearance (Liquid)	Yellow Liquid	
Odor & taste (Rancid Free)	Bland, deodorized	
Color (5¼ Inch Lovibond Color Cell). R / Y max .		0.8/8.0
Free fatty acids as oleic acid %	-	0.08
Peroxide value (mg eq. wt./Kg oil)	-	1.0
Iodine value gm. I <sub>2</sub> /100 gm. oil	124	139
Moisture and volatile matter %	-	0.02
Relative Density at 20 °C	0.919	0.925
Refractive Index at 40 °C	1.466	1.470
Antioxidant (TBHQ/ppm)	-	100
Heavy Metals / ppm	Conform	
Aflatoxins (ppb)	Conform	
Pesticide residue (ppm)	Conform	
Microbiological Tests	Conform	
Fatty Acids Composition %		
C 16:0	8.0	13.5
C 18:0	2.0	5.4
C 18:1	17	30
C 18:2	48	59
C 18:3	4.5	11

#### • Validity

- Jerrycan / Pouches / Tin cans / Bulk (12 Months).

- PET Bottles Under Nitrogen (24 Months).





## BLENDED OIL



### FULLY RBD COOKING OIL (SOYA BEAN - SUNFLOWER) SPECIFICATIONS

**TECHNICAL SPECIFICATION:** Comply with NFSA: 6 / 2022

**CAS No. 8001-22-7**

**Specification No E.S No. 7985/2024**

**Codex 210-1999 Rev. 2024**

**Description** Clear Liquid & Brilliant at Room Temperature,  
have normal and characteristics taste and odor- non-GMO

Item	Min.	Max.
Appearance (Liquid)	Yellow Liquid	
Odor & taste (Rancid Free)	Bland, deodorized	
Color (5¼ Inch Lovibond Color Cell). R / Y max .		1.0/10
Free fatty acids as oleic acid %	-	0.08
Peroxide value (mg eq. wt./Kg oil)	-	1.0
Iodine value gm. I <sub>2</sub> /100 gm. oil	124	139
Moisture and volatile matter %	-	0.02
Relative Density at 20 °C	0.919	0.925
Refractive Index at 40 °C	1.466	1.470
Antioxidant (TBHQ/ppm)	-	100
Heavy Metals / ppm	Conform	
Aflatoxins (ppb)	Conform	
Pesticide residue (ppm)	Conform	
Microbiological Tests	Conform	
<b>Fatty Acids Composition %</b>		
C 16:0	8	13.5
C 18:0	2	5.4
C 18:1	17	30
C 18:2	48	59
C 18:3	4.5	11



#### • Validity

- Jerrycan / Pouches / Tin cans / Bulk (12 Months).
- PET Bottles Under Nitrogen (24 Months).



## VEGETABLE GHEE



### VEGETABLE GHEE SPECIFICATIONS

Item	Oil Tec. Specifications	
	Indoor Lab.	External Lab.
Odor	Butter	
Color as per Iovibond (4/1,5 Cell)	R/Y=3.5/35.0	
White Ghee max.	-	
Yellow Ghee max.	R/Y=35/6.5	
Specific Gravity (H <sub>2</sub> O = 1)	0.890	0.900
Slip (melting) point °C	38	42
Free Fatty Acid as Oleic Acid %	-	0.10
Acid value ml gm. KOH/gm. Oil	-	0.20
Peroxide Value (mg Eq. Wt. O <sub>2</sub> /Kg)	-	1.0
Iodine value gm. 100/12 gm. oil	-	55
Unsaponifiable Matters %	-	1.2
Saponification Value mg KOH/gm. Oil	190	209
Soap content ppm.	-	10
Moisture and volatile matter at 105 °C %	-	0.2
Impurities%	-	Nil
Total fatty matter %	99.5	100
Antioxidant mg/kg	160	190
<b>Fatty Acids Composition %</b>		
C 12:0	-	0.5
C 14:0	0.5	2.0
C 16:0	39.3	47.5
C 18:0	3.5	6.0
C 18:1	36.0	44.0
C 18:2	9.0	12.0
Transe Fatty Acid	Not Detected	

Item	Oil Tec. Specifications		
	External Lab.	Min.	Max.
Paraffin Test	Nil		
<b>Heavy Metal mg/kg</b>			
Fe	-	1.5	
Cu	-	0.1	
Pb	-	0.1	
As	-	0.1	
<b>Solid Fat Content % °C at</b>			
20 °C	17	20	
30 °C	5	9	
35 °C	2	5	
40 °C	0.5	2	
<b>Aflatoxins (ppb)</b>			
Aflatox ins B1	-	Nil	
Aflatox ins B2	-	Nil	
Aflatox ins G1	-	Nil	
Aflatox ins G2	-	Nil	
Pesticide residue (ppm)	-	0.05	
Erucic acid gm./kg	-	50	
Benzo(a)pyrene mg./kg	-	2.0	
Sum of dioxins pg/g fat	-	0.75	
Microbiological tests: Due to the low moisture content of the product, the nature of vegetable oil and refining steps, microbiological contamination is unlikely to occur.			
Salmonella cell/25 gm	-	<10	
Escherichia coli cell /gm	-	<10	
Total count cell /gm	-	<10	
<b>Validity and Packing</b>			
11.0 kg. Inside Coated Tin (24 Months)			
<b>Storage Condition</b>			
A cool dry place max. 30 °C, away from direct sun light			



## SHORTENING



**DAIRY**



**DEEP FRYING**



**BAKERY & BISCUIT**

### SHORTENING FOR FOOD PURPOSES SPECIFICATIONS

Item	Oil Tec. Specifications	
	Indoor Lab.	External Lab.
Odor	Rancid Free	
Color max.:	R/Y = 3.0/30.0	
Specific Gravity (H2O = 1)	0.867	0.870
Slip (melting) point °C	38	42
Free Fatty Acid as Oleic Acid %	-	0.10
Acid value ml gm. KOH/gm. Oil	-	0.20
Peroxide Value (mg Eq. Wt. O2/Kg)	-	1.0
Iodine value gm. 100/12 gm. oil	-	55
Unsaponifiable Matters %	-	1.2
Saponification Value mg KOH/gm. Oil	190	209
Soap content ppm.	-	10
Moisture and volatile matter at 105 °C %	-	0.2
Impurities%	-	Nil
Total fatty matter %	99.5	100
Antioxidant mg/kg	160	190
<b>Fatty Acids Composition %</b>		
C 12:0	-	0.5
C 14:0	0.5	2.0
C 16:0	39.3	47.5
C 18:0	3.5	6.0
C 18:1	36.0	44.0
C 18:2	9.0	12.0

- Free from any additives of natural and artificial coloring materials

Item	Oil Tec. Specifications		
	External Lab.	Min.	Max.
Paraffin Test	Nil		
<b>Heavy Metal mg/kg</b>			
Fe	-	1.5	
Cu	-	0.1	
Pb	-	0.1	
As	-	0.1	
<b>Solid Fat Content % °C at</b>			
20 °C	17	26	
25 °C	10	17	
30 °C	6	11	
35 °C	3	7	
40 °C	0.5	3.5	
<b>Aflatoxins (ppb)</b>			
Aflatox ins B1	-	Nil	
Aflatox ins B2	-	Nil	
Aflatox ins G1	-	Nil	
Aflatox ins G2	-	Nil	
Pesticide residue (ppm)	-	0.05	
Erucic acid gm./kg	-	50	
Benzo(a)pyrene mg./kg	-	2.0	
Sum of dioxins pg/g fat	-	0.75	
Microbiological tests: Due to the low moisture content of the product, the nature of vegetable oil and refining steps, microbial contamination is unlikely to occur.			
Salmonella cell/25 gm	-	<10	
Escherichia coli cell /gm	-	<10	
Total count cell /gm	-	<10	
<b>Validity and Packing</b>			
Pouches 25 kg, inside carton (24 Months)			
<b>Storage Condition</b>			
A cool dry place max. 30 °C, away from direct sun light			



# OILTEC

## COCOA BUTTER SUBSTITUTE



### FILLING SOLUTIONS

Create indulgent centers with our Filling Cocoa Butter Substitutes, designed for smooth, creamy textures that melt perfectly in every bite. They offer excellent stability and easy processing, ensuring your fillings stay rich and luscious while maintaining a delightful mouthfeel. Ideal for pralines, truffles, and layered treats—your customers will love the luxurious experience.



### COATING SOLUTIONS

Achieve a flawless finish with our Coating Cocoa Butter Substitutes, delivering a glossy shine and superior snap for dipped or enrobed products. These substitutes provide excellent coverage, quick setting, and resistance to bloom, making your chocolates look as good as they taste. Perfect for bars, biscuits, and confectionery coatings that impress at first glance.



### MOULDING SOLUTIONS

Craft stunning shapes with our Moulding Cocoa Butter Substitutes, engineered for precision and consistency. They offer excellent fluidity and release properties, ensuring sharp details and smooth surfaces every time. From elegant chocolate figures to premium bars, these substitutes guarantee professional results that delight your customers.

## PERSONAL CARE



### SOAP SPECIFICATIONS

#### Technical Specifications:

- Off white bar soap.
- Foreign materials free.
- Distilled vegetable oil-base, animal fats free.
- Paper wrap three colors (Black - Violet - Pink) with different fragrances 120 gm. packed in carton contains 48 pieces.

#### • Notes

- Produced according to European directives.

#### • Validity

- Five years from the printed production.

#### • Storage Temperature:

- Ventilated area and temperature max . 30 °C.



# ستارز

## HOME CARE



### **LAUNDRY SOAP BAR SPECIFICATIONS**

Designed for superior stain removal and long-lasting performance, our laundry soap bar combines affordability with quality care.

Ideal for handwashing and spot cleaning, it delivers deep cleaning power while remaining gentle on fabrics and skin.

Crafted with premium ingredients, it ensures freshness and durability, making it the perfect choice for households seeking an economical and effective solution. Available in various sizes, colors and fragrances, our soap bar is trusted for its reliability and value.



# QUALITY CERTIFICATES



ISO 9001 is the world's leading standard for Quality Management Systems (QMS), providing a framework for organizations to consistently meet customer and regulatory needs, enhance satisfaction, and continuously improve processes, applicable to any size or industry.



FSSC 22000 (Food Safety System Certification) is a globally recognized food safety standard for any size organization in the food supply chain, combining ISO 22000 with specific Pre-Requisite Programs (PRPs) and FSSC-defined extra requirements, recognized by the GFSI (Global Food Safety Initiative).



ISO 45001 is an international standard that specifies requirements for an occupational health and safety (OH&S) management system. It provides a framework for organizations to manage risks and improve OH&S performance.



GMP stands for Good Manufacturing Practice, a system ensuring products are consistently made and controlled to quality standards, minimizing risks like contamination or mix-ups by covering everything from premises and equipment to personnel training and documentation, ensuring final products are safe, and effective for consumers.



ISO 22000 is the international standard for Food Safety Management Systems (FSMS), providing a framework for organizations in the entire food chain (from farm to fork) to control food safety hazards, meet regulations, and consistently provide safe food, integrating HACCP principles with system management for overall safety improvement.



The Roundtable on Sustainable Palm Oil was established in 2004 with the objective of promoting the growth and use of sustainable palm oil products through global standards and multistakeholder governance.



ISO 14001 is the globally recognized standard for Environmental Management Systems (EMS), providing a framework for organizations to manage environmental impacts, reduce waste, save energy, and meet legal requirements, thereby improving environmental performance and sustainability.



BRCGS (Brand Reputation through Compliance Global Standards) is a leading global organization providing internationally recognized certification for supply chain assurance, covering Food Safety, Packaging, Storage & Distribution, Consumer Products, helping businesses ensure quality, safety, legality, and brand protection.

# QUALITY CERTIFICATES



The "Proudly Made in Egypt" certification is a symbol of quality and efficiency, awarded to companies that meet the highest manufacturing standards and adhere to best industrial practices.



Sedex is a global technology company that specialises in data, insights and professional services to empower supply chain sustainability.

Company reference: ZC5000001890  
Site reference: ZC1000001989



The Food and Drug Administration (FDA) is responsible for protecting the public health by assuring the safety, efficacy, and security of human and veterinary drugs, biological products, medical devices, our nation's food supply, cosmetics, and products that emit radiation.



الهيئة المصرية العامة للغذاء والدواء  
National Food Safety Authority

National Food Safety Authority (NFSA): An independent body established to protect consumers by ensuring food safety and hygiene for all products (domestic and imported), handling licensing, and setting regulations for food businesses in Egypt.



The Egyptian General Authority for Standardization and Quality (EOS) is the official body that grants the Halal mark in Egypt, certifying that products comply with Islamic Sharia standards. The mark is mainly issued for exported products to assure consumers, and it requires meeting specific regulatory requirements.



Authorized Economic operator (AEO Egypt) is a certificate provided by The Egyptian Customs Authority certifying that the company meets all international and local standards through applying all relative laws and regulations, which gives the company some privileges in local customs and in different countries' customs who are parties of the program.



ISOQAR stands for ISO Quality Assessment and Registration. It is a leading, UKAS-accredited certification body providing ISO certification, training, and support services.

**ALL OUR PROCESSES & PRODUCTS ARE COMPLY WITH THE HIGH-QUALITY STANDARDS, GMP, & FOOD SAFETY AUTHORITY REQUIREMENTS (NFSA WHITE LIST UNDER NO.639)**

# PRODUCTS STUFFING

Packaging Category	SKU	(Bottles / jerrycans) / Carton	Carton Dimension (cm)			Label Dimension (cm)			Net weight/ Carton in (Kg/Ton)	Gross weight/ Carton in (Kg/Ton)	Container Capacity(Carton)		Container Capacity (Bottles / jerrycans)	
			Length	Width	Height	Length	Height	Blank Space			20' ST	40' HC	20' ST	40' HC
BOTTLES	250 ml	24	29	20	19	3	8		5.52	6.42	2400	4400	57600	105600
	300 ml pouch	20	13.5	30.3	11	16	13	-	5.52	5.8	3150	4828	63000	96560
	500 ml	12	25.8	18.4	24.9	20	5.8	1.2	5.52	6.1	2200	4591	26400	55092
	600 ml	12	27.2	20.8	25.6	21.5	6.5	1.2	6.624	7.174	2100	3895	20412	46740
	700 ml	12	28.7	22.2	26	22.8	6	1.2	7.728	8.3	1701	3400	20412	40800
	750 ml	12	29.3	22.2	26.3	23.5	6.2	1.2	8.28	8.88	1764	3153	21168	37836
	800 ml	12	29.5	22.5	28.3	23.5	6.5	1.2	8.832	9.42	1520	2972	18240	35664
	845 ML	12	31	23	28.2	23.5	6.5	1.2	9.329	9.921	1488	2822	17856	33864
	950 ML	12	32.7	24.9	28.8	25.5	6.8	1.2	10.488	11.08	1304	2527	15648	30324
	900 ml	12	31.6	23.5	28.6	24.8	7	1.2	9.936	10.54	1520	2675	18240	32100
	1 liter round	12	29.5	26.8	29.1	26.2	7	1.2	11.04	11.699	1304	2400	15648	28800
	1 liter square long bottle	12	29.5	26.8	29.1	25.8	6.8	1.2	11.04	11.642	1608	2440	19296	29280
	1 liter square short bottle	12	30.5	23.3	26.2	27.2	6.8	1.2	11.04	11.685	1701	2440	20412	29280
	1.5 liter side handled SUN RISE	6	26.5	25.8	31	11	11.5	-	8.28	8.95	1560	3140	9360	18840
	1.5 liter side handled	6	26.8	24.6	29	8.4	17.2	-	8.28	8.95	1560	3140	9360	18840
	1.5 liter round	6	29.4	19.7	31.6	30.6	7.1	1.2	8.28	8.9	1652	3060	9912	18360
	1.8 liter side handled	6	27.4	26.9	33.4	10.2	12.2	-	9.936	10.864	1176	2620	7056	15720
	1.8 liter round	6	31.2	21.3	31.4	33.5	6.8	1.2	9.936	10.75	1344	2650	8064	15900
	2.5 liter round	4	23.2	22.6	36.3	34	6.8	1.2	9.2	9.821	1440	2851	5760	11404
	3 liter with handle	4	26.6	26.2	36	36.3	6.8	1.2	11.04	11.735	1008	2425	4032	9700
3 liter with side handle OMY	4	26.2	21	35.2	8.5	8	-	11.4	11.65	1254	2370	5016	9480	
4 liter square	4	33.8	32.8	31.4	8.5	9.5	-	14.72	15.855	1008	1795	4032	7180	
5 liter square	4	31.3	31.3	34	12	12	-	18.4	19.485	881	1460	3524	5840	
JERRYCANS & TINS	5 Liter HDPE Jerrycan	4	38	30.4	25.7	13.8	14	-	18.4	20.06	975	1400	3900	5600
	10 Liter HDPE Jerrycan	-	23.8	21.1	32.7	14.9	14.9	-	9.2	9.741	1834	N/A	1834	N/A
	35 LB HDPE Jerrycan in carton (15.88 KG)	1	30.5	25.6	37	-	-	-	35 LB(15.880Kg)	16.25	750	1500	750	1500
	17 Liter TIN	-	24	24	36.5	-	-	-	15.64	15.9	750	1500	750	1500
	18 Liter TIN	-	24	24	39	-	-	-	16.56	16.82	750	1500	750	1500
	19 liter HDPE Jerrycan	-	30.5	25.6	37	-	-	-	35 LB	16.25	750	1500	750	1500
20 Liter Jerrycan plain Square shape	-	29.3	23.5	38.5	16	16	-	18.4	19.715	1165	N/A	1165	N/A	
BULK	Plastic Drums 200 KG	1	-	59 COR	91	-	-	-	200	211	80	N/A	80	N/A
	IBCs	-	100	100	100	-	-	-	920	985	20	N/A	20	N/A
	Flexi tanks	-	-	-	-	-	-	-	20500	20650	1 flexi bag	N/A	1 flexi bag	N/A
VEGETABLE GHEE	vegetable ghee 650 gmTIN	6	31.5	21	15.2	-	-	-	3.9	4.56	2574	5800	15444	34800
	vegetable ghee 700 gm TIN	6	31.5	21	15.2	-	-	-	4.2	5.04	2970	5500	17820	33000
	vegetable ghee 1400 gm TIN	4	31.8	31.8	14	-	-	-	5.6	6.74	2023		2023	
	vegetable ghee 2500 gm TIN	4	31.8	31.8	23	-	-	-	10	11.5	1190		1190	
	vegetable ghee 4200 gm TIN	1	19	19	21.5	-	-	-	4.2	4.2	3960		3960	
	vegetable ghee 11 KG TIN	1	23.5	23.5	28.5	-	-	-	11	11.78	1920	2330	1920	2330
	vegetable ghee 650 gm Jar	6	31.5	21	17.7	-	-	-	3.9	4.56	2574	5800	15444	34800
	vegetable ghee 1300 gm Jar	6	36.2	24	22	-	-	-	3.9	4.56	2574	5800	15444	34800
SOAP BAG IN BOX	shortening 20 KG	1	36.8	27.8	26	-	-	-	20	20.7	960	1320	960	1320
	shortening 25 KG	1	40.8	26.4	29	-	-	-	25	25.7	848	1050	848	1050
	CBS 20 KG	1	36.8	27.8	26	-	-	-	20	20.7	960	1320	960	1320
	CBS 25 kg	1	40.8	26.4	29	-	-	-	25	25.7	848	1050	848	1050
	BAR soap	10	43	27	11.5	-	-	-	1180	11.8	2224	-	2224	-
	Fine soap	48	37.4	19.2	11.5	-	-	-	5.76	6.1	3600	4600	172800	220800

• ALL COUNT IN CARTON IN 40 FT ARE SUBJECT TO TARE MAX. PAYLOAD AND RESTRICTIONS AT COUNTRY OF DESTINATION.

# OILTEC

***A FUTURE  
FROM HERITAGE***

Head Office Address: Gamal Abd El-Nasir, Kazan Plaza Mall, 6th of October

Plant Locations: Lot no. 8, 2nd Industrial zone, Sadat City - Egypt

Hotline: +2011-30306060

Official Website: [www.oiltecegypt.com](http://www.oiltecegypt.com)

Official Email: [info@oiltecegypt.com](mailto:info@oiltecegypt.com)

